

## 2D PDF417

Esc 0B {ss} {xxxx} {yyyy} {qq} {o} {m} {a} {eh} {ew} {a...a} (\0) {variable\_name} (\0) {b...b}

NOTE: (\0) means binary all zeros or NULL character.

{ss}	=	Style	Symbology	21 = PDF417
{xxxx}	=	Horizontal position in dots		
{yyyy}	=	Vertical position in dots		
{qq}	=	ECC Quality Printer	ECC Code Standard	
		00		
		01		
		02		
		03		
		04		
		05	Not implemented	
		06		
		07		
		08		
{o}	=	Orientation: - (clockwise rotation)		
		0 = 0°		
		1 = 90°		
		2 = 180°		
		3 = 270°		
{m}	=	mirror		
		0 = Normal		
		1 = Mirror	Not implemented	
{a}	=	Aspect Ratio	Not implemented	
{eh}	=	Element Height in dots		
		01 to 09		
{ew}	=	Element Width in dots		
		01 to 09		

Fixed and variable data fields: -

{a...a} = Fixed ASCII text, may be left out if not required.

{Variable\_name} = Name of pre-defined variable. Must have a \0 before and after the variable\_name

{b...b} = Fixed ASCII text, may be left out if not required.

PDF417

0BssxxxxxyyyqqomaeheWText and or variable fields  
0B2101000020200000704Your text field etc